

**SOUTHERN POWER DISTRIBUTION COMPANY OF A.P. LIMITED
TIRUPATI**

From
The Chief General Manager
P&MM, APSPDCL,
19-13-65/A,
Kesvayangunta,
TIRUPATI -517 501.
Ph: 0877-2284109 Extn.200
Fax: 0877-2284111.

To
M/s. Steel Exchange India Limited,
Flat No.103,
Vizag profile towers
Kurmannapalem , Viskhapatnam-530 046
Ph:0891-2587175, Fax:0891-2749215

24/2/2012

Lr.No.CGM/P&MM/SPDCL/VR/CI-06-08/2011-12/P2/D.No.950/2012,dt:21-02-2012

Sir,

Sub: SPDCL – P&MM – TPT – Registration of your firm as approved vendor for supply of MS Steel (Ribbed Tor Steel) - Regarding.
Ref: Your letter dt: 11-01-2012.

* * *

Referring to the above, your firm is registered as an approved vendor in APSPDCL for supply of MS Steel (Ribbed Tor Steel) registered as VR/CI-06-08/2011-12.

The registration is subjected to the following conditions.

- 1) The APSPDCL reserves the right to cancel your registration at any time without any reasons.
- 2) It is noted that you are a manufacture for the above materials
- 3) The registration will be valid for a period of two years i.e., upto 17-02-2014
- 4) For considering renewal of vendor registration, you have to remit non refundable renewal fee of Rs.500/- per each item in the shape of DD drawn in favour of Accounts Officer/CPR/ APSPDCL/Tirupati along with your performance of supplies with APSPDCL before (6) months of the expiry of validity period of Vendor Registration.
- 5) You have to super scribe this letter reference on the tender cover to be submitted in future to APSPDCL.

The receipt of this letter may be acknowledged.

Yours sincerely

V. Sanyal
21/02

for **CHIEF GENERAL MANAGER/P&MM
APSPDCL :: TIRUPATI**

Copy to Chief Engineer/Zone/Vijayawada & Tirupati.
Copy to Chief General Manager/P&MM/APCPDCL/Hyderabad.
Copy to Chief General Manager/P&MM/APEPDCL/Visakhapatnam.
Copy to Chief General Manager/P&MM/APNPDCL/Warangal.
Copy to Chief General Manager/Projects/APSPDCL/C.O./Tirupati.
Copy to Chief General Manager/Finance/APSPDCL/Tirupati.
Copy to General Manager/Internal Audit/APSPDCL/Tirupati.
Copy to General Manager/Expenditure/APSPDCL/Tirupati.
Copy to Superintending Engineer/Operation/Vijayawada, Guntur, Ongole, Nellore, Tirupati

& Kadapa